



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

15.3), Frankfort-on-the-Main, Leipzig, and Hamburg had slightly higher rates than Berlin; but the mortality figures of Munich, Nuremberg, Cologne, Breslau, and Königsberg, as well as the London, Paris, and Vienna rates, were all considerably higher than the Berlin figure.

The decrease in the number of deaths was distributed equally among children in the first year of life and among the higher age classes. The death rate among infants amounted to 3.3 per year and mille, this figure not being half as high as the Munich rate, and also lower than that of Hamburg.

The status of acute intestinal diseases remained almost unchanged, 30 deaths occurring therefrom, while 10 persons succumbed to cholera. Acute diseases of the respiratory organs showed a considerable decrease, claiming 51 victims, against 83 in the last preceding week. There were also registered 95 deaths from phthisis pulmonalis, 45 deaths from cancer, 9 deaths from measles, 7 deaths from scarlet fever, 7 deaths from influenza, and 3 deaths from diphtheria. Finally, 19 persons died by violence.

GUATEMALA.

Report from Livingston, fruit port.

Acting Assistant Surgeon Peters reports as follows: Week ended April 25, 1904: Present officially estimated population, 3,500; number of deaths, 3; prevailing diseases, malarial; general sanitary condition of this port and the surrounding country during the week, good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
Apr. 19	Belize	17	2
19	Beverly a.	44	12

a The steamship Beverly cleared from Puerto Barrios.

HAWAII.

Report from Honolulu—Quarantine transactions.

Chief Quarantine Officer Cofer reports, March 31, as follows:

Incoming quarantine.

HONOLULU:

Steam vessels inspected and passed	18
Crew on steam vessels	3,346
Passengers on steam vessels	7,802
Sailing vessels inspected and passed	15
Crew on sailing vessels	258
Passengers on sailing vessels	13
Sick in detention from last month	0
Detention from last month	0
Sick in detention for this month	0
Detention for this month	0
Pieces of baggage disinfected	0
Packages of freight disinfected	0
Vaccinations	0
Steam vessels disinfected	0
Sailing vessels disinfected	0